

## Glue Dots

semi-permanent

GP.M.10.OS.5000.426

GP.M.10.HA.1500.426

SPRINTIS Schenk GmbH & Co. KG  
Ludwig-Weis-Str. 11 · D-97082 Würzburg  
Tel. +49 (0) 931 / 40 41 6-240 · Fax: -100

[www.sprintis.eu](http://www.sprintis.eu) · [info@sprintis.eu](mailto:info@sprintis.eu)

01/2021

### Applications & purposes

The semi-permanent silicone hot melt adhesive dots have a low initial adhesion and can therefore be removed again from many surfaces.

Final adhesion is stronger than the removable version, but still allows removal from most surfaces.

Advantages:

- Reach Conform
- Repositionable and removable
- Approved for direct food contact

Applications:

The glue dots are very suitable for gluing packaging, credit cards or samples on printed products or advertising flyers, furthermore the glue dots are often used in print finishing, direct mailing or arts.

### Characteristics

Adhesive type	Hotmelt
Colour	Translucent
Adhesive strength	Removeable
Softening Point	+73 °C
Temperature from/to	-15 °C to +40 °C
Food contact	Direct

### Storage recommendation / Shelf life

Under normal storage conditions in a room climate (approx. 50% relative humidity & approx. 20 °C room temperature) the product in its original packaging has a storage period of at least 12 months after receipt by the customer.

#### Disclaimer:

Our recommendations are based on our most current knowledge and experience. As our products are used in conditions beyond our control, we cannot assume any liability for damage caused through their use. Users of our products are solely responsible that the product is suitable for its intended application, and have determined such at their sole discretion. Users must comply with any applicable legislation and/or testing requirements for the finished article, and are responsible for bringing their products to market.

This publication does not constitute any warranty, express or implied, and is intended only for the recipient and cannot therefore be transferred to any third part. We cannot assume any liability for the use of our products in conjunction with other materials.